

Subject ID: LM00011
Pathology Report Date: 4/9/96
Pathology Report Summary

SPECIMEN #1: Peritoneal nodule

FROZEN SECTION DIAGNOSIS:
No Tumor Seen

GROSS DESCRIPTION:

Received without any fixative for frozen section, the specimen consists of a single lymph node measuring 0.5 x 0.3 cm.
The lymph node is bisected and entirely submitted for frozen section.

SPECIMEN #2: Peritoneal nodule

FROZEN SECTION DIAGNOSIS:
Leiomyosarcoma

GROSS DESCRIPTION:

Received without any fixative for frozen section. The specimen consists of a tan, firm nodule measuring 1.8 x 1.5 x 1.5 cm. It is bisected and half of it is taken for frozen and the remainder is submitted for permanent section.

SPECIMEN #3: Right obturator node

FROZEN SECTION DIAGNOSIS:

No tumor seen

GROSS DESCRIPTION:

The specimen consists of a lymph node that is received fresh, measuring 2.5 x 2.0 x 0.8 cm. The lymph node is bisected and half of it is taken for frozen section. The remainder is taken for permanent section and the entire specimen is submitted in two cassettes.

SPECIMEN #4: Right hypogastric lymph node

FROZEN SECTION DIAGNOSIS:

No tumor seen

GROSS DESCRIPTION:

The specimen is received without any fixative and consists of a single lymph node measuring 1.2 x 0.5 x 0.3 cm. The entire specimen is submitted as a frozen section.

SPECIMEN #5: To cytology

SPECIMEN #6: bladder, vagina, peritoneum and rectum

GROSS DESCRIPTION:

The specimen is received without any fixative and consists of a pelvic exenteration specimen. The specimen on the whole measures 12.0 x 11.5 x 11.0 cm. The length of the rectum is 11 cm. and both proximal and distal ends measure 3 cm. in diameter. The vaginal cuff measures 4.5 cm. in diameter and the length of the vagina measures from 3.5 to 4.5 cm. The bladder measures 6 cm. in length, 8 cm. in width and 1.0 to 1.2 cm. in thickness. The urethra measures 3 cm. in length and 0.5 to 1.0 cm. in diameter. There is a peritoneal reflection seen on the superior aspect of the specimen. This peritoneal reflection measures approximately 15.0 cm. x 13.0 cm. A discrete mass is identified which is arising in the anterior superior portion of the vagina and extending into the peritoneal reflection. The main mass of the tumor extends into the peritoneal reflection measures 4.5 x 4.0 x 3.5 cm. Grossly, the mass does not appear to involve the bladder or the rectum. On cut section, this mass is firm, tan and bosselated. Representative sections are submitted after fixation.

SPECIMEN #7: Distal and proximal rectal donuts

GROSS DESCRIPTION:

The specimen is received without any fixative and consists of two donut-shaped segments of bowel which measure 0.5 and 1.5 cm. in diameter, respectively. Both of the pieces measure 0.2 to 0.3 cm. in thickness. The entire specimen is submitted in one cassette.

SPECIMEN #8: Ileum

GROSS DESCRIPTION:

The specimen is received without any fixative and consists of a segment of small bowel measuring 36 cm. in length and the ends are not designated measure 2.5 and 3.0 cm. in diameter, respectively. The outer surface is unremarkable. There is minimal fat noted. The mucosal surface is glistening and the folds are normal. There is no abnormality seen grossly. There is another segment of small bowel in the same container which measures 4.5 cm. in length and both ends measure 2.5 cm, in diameter. The thickness of the segment of small bowel varies from 0.3 to 0.4 cm. Grossly, the serosal and the mucosal surface are unremarkable. Representative sections are submitted in five cassettes.

SPECIMEN #9: Labeled appendix

GROSS DESCRIPTION:

The specimen is received without any fixative and consists of an appendix measuring 3.0 cm. in length and 0.5 to 0.8 cm. in diameter. There is minimal periappendiceal fat. On sectioning, it is unremarkable. Representative sections are submitted in two cassettes.

DIAGNOSIS:

- #1 Peritoneal nodule, biopsy
No tumor seen.
- #2 Peritoneal nodule, biopsy
Metastatic leiomyosarcoma
- #3 Lymph nodes, right obturator, excision
Three lymph nodes all negative for tumor (0/3).
- #4 Lymph node, right hypogastric, excision
One lymph node negative for tumor (0/1).
- #5 Specimen sent to cytology
- #6 Urinary bladder, vaginal, rectum, pelvic exenteration
Recurrent leiomyosarcoma, intermediate grade invading vagina and bladder.
Negative urethral, vaginal, colonic, ureteral resection margins.
Two negative pericolic lymph nodes (0/2) and two perivesical lymph nodes (0/2).

#7 Rectal donut, excision

No tumor seen.

#8 Ileum, resection

No tumor seen.

#9 Appendix, excision

No tumor seen.